



# Electronic Exposed TECK® Flush Valves for Sloan® / Zurn® Stops

### ☐ 81T231BTA-30

Exposed Battery Operated 3/4" Top Inlet Urinal Fixture LESS STOP, WITH MODIFIED TAIL TO FIT SLOAN®/ZURN® STOP

- Polished chrome plated vandal resistant metal cover with top mounted sensor operated H<sub>2</sub>OPTICS® electronics
- Right or left-hand supply installation
- ADA compliant, automatic operation battery powered infrared sensor
- Scratch resistant replaceable lens window
- Four (4) size AA alkaline batteries factory installed with valve in sleep mode for easy installation
- Hinged battery housing for easy maintenance
- Low battery flashing light (5000 flushes remaining) with battery strength indicator.
- Infrared sensor range adjustment of 457mm-914mm (18" 36"), factory set at 28" (±2")
- Optional 24 hour automatic flush factory set to ON
- · Set-up sensor range adjustment indicator lights
- 6 VDC input, 8 second arming delay
- Electronic operated non-hold-open metal manual override button with 5 second lockout
- Quiet action, TECK® exposed diaphragm flush valve
- Chloramine resistant diaphragm
- Forged brass diaphragm retainer
- Renewable seat
- Polished chrome plated finish
- External water conserving flush adjustment, factory set at 60 PSI to 1.9 litre (.50 US gal.)
- Adjustable 114mm to 131mm (4.5" to 5.18") inlet/valve outlet centers
- Vacuum breaker
- Spud flange, spud nut, and 330mm (13") outlet tube

# □ 81T231BTA-30-38

Same as 81T231BTA-30, but set at 60 PSI to 3.8 litre (1.0 US gal), **Not Field Adjustable** 

### □ 81T231BTA-30-19

Same as 81T231BTA-30, Not Field Adjustable

### **□** 81T231BTA-30-05

Same as 81T231BTA-30, but set at 60 PSI to 0.5 litre (0.13 US gal), **Not Field Adjustable** 

# **Approvals:**

- CSA certified
- Complies to ASSE 1037
- ADA Compliant and meets Handicapped Accessibility Standard ASME A117.1 of less than 5 lbs. operating force.

(Contact Delta Representative for State and/or Local Approvals.) U.S. Patent # 6, 826, 455 Other Patents Pending




## **Engineer/Architect Approval**

Model Specified:

Approval:

Date:





Note: For high and low pressure applications, please see page FEA-81T High Water Pressure note for more details.

Verify flow requirements with bowl manufacturer.

Note: Measurements may vary ± 6mm (0.25")

Refer to www.specselect.com for individual models.

Note: Use this page as a product submittal sheet.