INSTALLATION INSTRUCTIONS

American Standard

Style That Works Better

H₂Option Siphonic Dual Flush Two-Piece Toilet Models 2886 / 2887 / 2889



ш

S

Thank you for selecting American Standard – the benchmark of fine quality for over 100 years. To ensure this product is installed properly, please read these instructions carefully before you begin. (Certain installations may require professional help.) Also be sure your installation conforms to local codes.

CAUTION: PRODUCT IS FRAGILE. TO AVOID BREAKAGE AND POSSIBLE INJURY HANDLE WITH CARE! NOTE: Pictures may not exactly define contour of china and components.

RECOMMENDED TOOLS AND MATERIALS

Putty Knife	Regular Screwdriver	Adjustable Wrench	Sealant	Tape Measure
Hacksaw	Wax Ring/Gasket	Flexible Supply Tube	Closet Bolts	Carpenters Level

1 REMOVE OLD TOILET

- a. Close toilet supply valve and flush tank completely. Towel or sponge remaining water from tank and bowl.
- b. Disconnect and remove supply line. NOTE: If replacing valve, first shut off main water supply!
- c. Remove old mounting hardware, remove toilet and plug floor waste opening to prevent escaping sewer gases.
- d. Remove closet bolts from flange and clean away old wax, putty, etc. from base area. NOTE: Mounting surface must be clean and level before new toilet is installed!





If the connection continues to leak with the new supply line, replace the fill valve.

Warranty is void if any type of sealant is used on the water supply connection.



13

NOTE: Pictures are representative and may not exactly depict the flush valve.



IMPORTANT: Always clear sand and rust from system. • Make sure water supply is off. Remove valve TOP by lifting arm

Remove valve TOP by lifting arm and rotating top and arm 1/8 turn counterclockwise, pressing down slightly on cap.

· While holding a container

Leave water supply off.

over the uncapped VALVE to

prevent splashing, turn water

supply on and off a few times.



• Replace TOP by engaging lugs and rotating 1/8 turn clockwise. MAKE CERTAIN TIP IS TURNED TO THE LOCKED POSITION. VALVE MAY NOT TURN ON IF TOP IS NOT FULLY TURNED TO THE LOCKED POSITION.

GUARANTEE: This Fluidmaster product is guaranteed to be free from defective materials and workmanship for a period of one year. Units returned to Fluidmaster will be replaced without charge.

Always use quality Fluidmaster repair parts when maintaining your Fluidmaster products. Fluidmaster shall not be responsible or liable for any damages caused by products used with Fluidmaster valves that were not manufactured by Fluidmaster, Inc.

TROUBLESHOOTING

IF FILL VALVE SHUTS OFF BUT CONTINUES TO LEAK SLOWLY, repeat Step 13.

IF FILL VALVE TURNS OFF AND ON DURING PERIODS OF NON-USE, it is a signal you are wasting water because:

- The end of the refill tube is inserted into overflow pipe, below water level in tank. Attach refill tube to overflow pipe using "S" clip provided.
- The flush valve is leaking because it's worn, dirty or misaligned with tank ball or flapper (replace with a new flapper).

IF FILL VALVE WON'T TURN ON OR SHUT OFF or REFILL OF TANK WATER IS SLOW after valve has been in use for some time, Fluidmaster Model 242 Replacement Seal may be needed.

Go to our website at www.fluidmaster.com for more solutions to toilet problems.

For troubleshooting information please contact:

Fluidmaster

San Juan Capistrano, CA 92675 (949) 728-2000 (800) 631-2011 www.fluidmaster.com

> © 2001 Fluidmaster, Inc. ® Registered trademark of Fluidmaster, Inc.

TROUBLESHOOTING GUIDE				
PROBLEM	POSSIBLE CAUSE	CORRECTIVE ACTION		
Does not flush	a. Water supply valve closed.	a. Open valve and allow water to fill tank.		
	b. Supply line blocked.	 b. Shut off water supply, disconnect supply line, and inspect all gaskets and washers. Reassemble. Also, see Fluidmaster maintenance (see step 13). 		
	c. Push button not properly set.	c. Readjust push button rod length as required. Refer to step 12.		
	d. Sand or debris lodged in water control.	d. Shut off water supply. Remove cap and clean per Step 13.		
Poor or sluggish flush	a. Bowl water level too low.	a. Check that refill tube is connected to water control and inserted into refill float without being kinked or damaged.		
	b. Supply valve partly closed.	b. Open supply valve fully. Be sure that proper supply tube size is used.		
	c. Partially clogged trapway and/or drain pipe and/or vent.	c. Remove obstruction. Consult a plumber if necessary.		
	d. Supply pressure too low.	d. Normal supply pressure must be at least 20 psi.		
Toilet leaks	a. Poor supply line connection.	a. Review Step 9 of installation procedure.		
	b. Poor bowl to tank/floor connection.	b. Review Step 4 through 7 of installation procedure.		
Toilet does not shut off	a. Push button rod is too long, holding flush valve open.	a. Readjust rod as needed. Review step 12.		
	b. Flush valve seat and/or seal worn or deformed.	b. Replace seal/flush valve assembly, as needed.		
	c. Sand or debris lodged in water control.	c. Shut off water supply. Remove cap and clean per Step 13.		