

## Viega Flushing Systems



5.1

**viega**

## Viega Flushing Systems

Viega extends its excellent reputation for providing high-quality piping systems behind the wall with a concealed flushing system. Our products in front of the wall are also of exceptional quality, because Viega stands for tried-and-tested engineering and intelligent, versatile solutions.

Viega has teamed with renowned designers to develop a wide range of flush plates that utilize multiple materials and finishes. Varied options coupled with sophisticated technology will enable you to give the bathroom space a fresh, new look. These highly functional, easy-to-clean systems provide space savings in the bathroom.

### FEATURES AND BENEFITS

- Award-winning flush plate design
- Accommodates all leading vitreous china manufacturer's bowls
- Space saving off-the-floor bowl systems for clean design
- Installation versatility for wood, steel, masonry or concrete
- Internal components are designed for abrasive reclaimed water
- Cost-effective
- Sturdy workmanship, with an 880-pound carrier capacity

### CODES AND STANDARDS

- EPA WaterSense® Listed\* in-wall flush systems\*\*
- UPC Listed Flush System and Carriers for the U.S. and Canada
- ICC Plumbing Code
- Uniform Plumbing Code

### LISTINGS AND CERTIFICATIONS

- PS 50/ASME A112.19.5/CSA B45.15-11
- ASSE 1002/ASME A112.1002/CSA B125.12-15
- ASSE 1037/ASME A112.1037/CSA B125.37-15
- ICC-ES Report PMG-1431
- ASME A112.6.2/CSA 125.3-12

### NOTE

\*v1.2 and v1.0

\*\*When used in conjunction with compatible listed bowls

**Index**

Carriers	226
Viega flush plates	228
Spare parts	234

**Carriers**



**Viega Eco Plus WC carrier  
2 x 6, reduced flush**

- For Visign flush plates, manual or touchless actuation
- Flush actuation from the front, dual flush technology, adjustable ceramic height, barrier-free

Components

Powder-coated steel frame, concealed cistern, 3" PP drain elbow, fernco coupling, mounting hardware for 2 x 6 wood or metal studs, bowl mounting kit, trim guards

Cistern Components

Pre-mounted angle stop with ½ NPT supply connection, fill valve set, flush valve kit

Technical Data

- sm. flush vol. factory setting approx. 0.7 gallon
- sm. flush vol. setting approx. 0.7-0.9 gallon
- full flush vol. factory setting approx. 1.2 gallon

**Model 8108.4US**

	Wt [lb]	Quantity	Part No	DG
	27.109	1	52711	13



**Viega Eco Plus WC carrier  
2 x 6**

- For Visign flush plates, manual or touchless actuation
- Flush actuation from the front, dual flush technology, adjustable ceramic height, barrier-free

Components

Powder-coated steel frame, concealed cistern, 3" PP drain elbow, fernco coupling, mounting hardware for 2 x 6 wood or metal studs, bowl mounting kit, trim guards

Cistern Components

Pre-mounted angle stop with ½ NPT supply connection, fill valve set, flush valve kit

Technical Data

- sm. flush vol. factory setting approx. 0.8 gallon
- sm. flush vol. setting approx. 0.8-1 gallon
- full flush vol. factory setting approx. 1.6 gallon

**Model 8180US**

	Wt [lb]	Quantity	Part No	DG
	25.434	1	52700	13



**Viega Eco Plus WC carrier  
2 x 4, reduced flush**

- For Visign flush plates, manual or touchless actuation
- Flush actuation from the front, dual flush technology, adjustable ceramic height, barrier-free

Components

Powder-coated steel frame, concealed cistern, 3" PP drain elbow, fernco coupling, mounting hardware for 2 x 4 wood or metal studs, bowl mounting kit, trim guards

Cistern Components

Pre-mounted angle stop with ½ NPT supply connection, fill valve set, flush valve kit

Technical Data

- sm. flush vol. factory setting approx. 0.7 gallon
- sm. flush vol. setting approx. 0.7-0.9 gallon
- full flush vol. factory setting approx. 1.2 gallon

**Model 8108.5US**

	Wt [lb]	Quantity	Part No	DG
	32.289	1	52712	13



**Viiega Eco Plus WC carrier**  
**2 x 4**

- For Visign flush plates, manual or touchless actuation
- Flush actuation from the front, dual flush technology, adjustable ceramic height, barrier-free

Components

Powder-coated steel frame, concealed cistern, 3" PP drain elbow, fernco coupling, mounting hardware for 2 x 4 wood or metal studs, bowl mounting kit, trim guards

Cistern Components

Pre-mounted angle stop with 1/2 NPT supply connection, fill valve set, flush valve kit

Technical Data

sm. flush vol. factory setting approx. 0.8 gallon

sm. flush vol. setting approx. 0.8-1 gallon

full flush vol. factory setting approx. 1.6 gallon

**Model 8108.1US**

	Wt [lb]	Quantity	Part No	DG
	31.473	1	<b>52710</b>	13



**Viiega Eco Plus sink carrier**

- For wall hung sink with 2 bolt mounting
- Height adjustable

Components

Powder-coated steel frame, mounting hardware for 2 x 4 or 2 x 6 wood or metal studs, adjustable width sink mounting hardware

Note

Drain elbow not included

**Model 8164US**

	Wt [lb]	Quantity	Part No	DG
	18.293	1	<b>52730</b>	13



**Viiega Eco Plus urinal carrier**

- For Visign flush plates (manual or touchless flush actuation)

Components

Powder-coated steel frame, sound deadening urinal flushing system installation set, urinal mounting kit, mounting hardware for wood or metal studs, bowl mounting kit, Watts model LF288A 1/2" vacuum breaker

Note

Drain elbow not included

**Model 8164.5US**

	Wt [lb]	Quantity	Part No	DG
	23.418	1	<b>52750</b>	13



**Viega Eco Plus bidet carrier**

- For wall-mounted bidet

Components

Powder-coated steel frame, height adjustable drain, mounting hardware for wood or metal studs, adjustable bowl height and bowl mounting hardware, adjustable drain elbow holder

**Model 8167.6US**

	Wt [lb]	Quantity	Part No	DG
	22.073	1	<b>52740</b>	13

**Viega flush plates**



**Flush plate**

**Standard 1**

- Plastic  
- Manual flush actuation, dual flush technology

Components

Mounting frame, mounting hardware

Note

Shown in Matte Chrome

**Model 8180.1US**

cover plate	actuator	Wt [lb]	Quantity	Part No	DG
alpine white plastic	alpine white plastic	0.771	1	<b>54660</b>	13
chrome-plated plastic	chrome-plated plastic	0.793	1	<b>54670</b>	13
matte chrome plastic	matte chrome plastic	0.756	1	<b>54665</b>	13



**Flush plate**

**Visign for Style 10**

- Plastic  
- Manual flush actuation from front, dual flush technology

Components

Mounting frame, mounting hardware

Note

Shown in Chrome

**Model 8315.1US**

cover plate	actuator	Wt [lb]	Quantity	Part No	DG
alpine white plastic	alpine white plastic	0.677	1	<b>54710</b>	13
chrome-plated plastic	chrome-plated plastic	0.701	1	<b>54715</b>	13
matte chrome plastic	matte chrome plastic	0.659	1	<b>54720</b>	13
jet black plastic	jet black plastic	0.705	1	<b>54635</b>	13



**Flush plate touchless**

**Visign for Style**

- Plastic  
- With glow in the dark finish  
- Touchless flush actuation from front or top, dual flush technology, with Viega Hygiene+ function

Components

Bowden cable unit, power pack (cable length 41"), mounting frame, mounting hardware

Technical Data

sm. flush vol. factory setting approx. 0.8 gallon

full flush vol. factory setting approx. 1.6 gallon

V 100–240 V AC/50–60 Hz

**Model 8315.3US**

cover plate	Wt [lb]	Quantity	Part No	DG
jet black plastic	2.275	1	<b>54900</b>	13





**Flush plate**

**Visign for Style 12**

- Plastic, metal, glass
- Manual flush actuation from front, dual flush technology

**Components**

Bowden cable unit, mounting frame, mounting hardware

**Note**

Shown in Black Glass

**Model 8332.1US**



**DESIGN PLUS**

cover plate	actuator	Wt [lb]	Quantity	Part No	DG
alpine white plastic	alpine white plastic	1.792	1	54725	13
chrome-plated plastic	chrome-plated plastic	1.818	1	54730	13
matte chrome plastic	matte chrome plastic	1.794	1	54735	13
stainless steel plastic	stainless steel plastic	1.838	1	54740	13
brushed stainless steel	brushed stainless steel	2.314	1	54565	13
light gray glass	light gray glass	2.398	1	54570	13
light gray glass	alpine white plastic	2.259	1	54640	13
black glass	black glass	2.444	1	54575	13
black glass	chrome-plated plastic	2.270	1	54645	13



**Flush plate**

**Visign for Style 13**

- Plastic
- Manual flush actuation from front, dual flush technology

**Components**

Mounting frame, mounting hardware

**Note**

Shown in Matte Chrome

**Model 8333.1US**



cover plate	actuator	Wt [lb]	Quantity	Part No	DG
alpine white plastic	alpine white plastic	0.818	1	54595	13
chrome-plated plastic	chrome-plated plastic	0.835	1	54600	13
matte chrome plastic	matte chrome plastic	0.815	1	54605	13



**Flush plate**

**Visign for Style 14**

- Plastic
- Manual flush actuation from front, dual flush technology

**Components**

Mounting frame, mounting hardware

**Note**

Shown in Matte Chrome

**Model 8334.1US**



cover plate	actuator	Wt [lb]	Quantity	Part No	DG
alpine white plastic	alpine white plastic	0.807	1	54610	13
chrome-plated plastic	chrome-plated plastic	0.820	1	54615	13
matte chrome plastic	matte chrome plastic	0.789	1	54620	13



**Flush plate**

**Visign for More 104**

- Metal
- Manual flush actuation from front, dual flush technology

**Components**

Bowden cable unit, mounting frame, mounting hardware

**Note**

Shown in Stainless Steel

**Model 8354.1US**



cover plate	actuator	Wt [lb]	Quantity	Part No	DG
chrome colored aluminum	chrome colored aluminum	2.314	1	54770	13
aluminum matte chrome	aluminum matte chrome	2.211	1	54775	13
stainless steel colored aluminum	stainless steel colored aluminum	2.237	1	54780	13



**Flush plate**  
**Visign for More 105**

- Metal, glass
- Manual flush actuation from front, dual flush technology

**Components**

Bowden cable unit, mounting frame, mounting hardware

**Note**

Overall depth flush plates made of glass is 1/8" shown in Black Glass

**Model 8357.1US**

cover plate	actuator	Wt [lb]	Quantity	Part No	DG
chrome colored aluminum	chrome colored aluminum	2.072	1	54875	13
aluminum matte chrome	aluminum matte chrome	2.021	1	54870	13
white glass	white glass	2.612	1	54860	13
black glass	black glass	2.612	1	54865	13



DESIGN PLUS  
powered by ISH



**Flush plate**  
**Visign for More 100**

- Metal, glass
- Manual flush actuation from front, dual flush technology

**Components**

Bowden cable unit, mounting frame, mounting hardware

**Note**

Shown in Black Glass

**Model 8352.1US**

cover plate	actuator	Wt [lb]	Quantity	Part No	DG
chrome colored aluminum	chrome colored aluminum	3.035	1	54745	13
aluminum matte chrome	aluminum matte chrome	2.975	1	54750	13
stainless steel colored aluminum	stainless steel colored aluminum	2.960	1	54755	13
chrome colored aluminum	light gray glass	2.964	1	54760	13
chrome colored aluminum	black glass	2.984	1	54765	13



DESIGN PLUS



**Flush plate touchless**  
**Visign for More 100**

- Glass
- Touchless infrared front flush actuation

**Components**

Bowden cable unit, mounting frame, mounting hardware, control electronics, power pack

**Technical Data**

sm. flush vol. factory setting approx. 0.8 gallon  
full flush vol. factory setting approx. 1.6 gallon

**Note**

Shown in Black Glass

**Model 8352.2US**

cover plate	Wt [lb]	Quantity	Part No	DG
light gray glass	2.920	1	54705	13
black glass	3.070	1	54700	13



reddot design award winner 2008





**Flush plate touchless  
Visign for More 100**

- Glass
- Touchless flush actuation from front or top, dual flush technology, with Viega Hygiene+ function

Components

Bowden cable unit, mounting frame, mounting hardware, battery compartment, 4 AA batteries

Technical Data

sm. flush vol. factory setting approx. 0.8 gallon  
full flush vol. factory setting approx. 1.6 gallon


Note

Shown in Black Glass

**Model 8352.3US**



	cover plate	Wt [lb]	Quantity	Part No	DG
	light gray glass	3.174	1	<b>54910</b>	13
	black glass	3.161	1	<b>54905</b>	13



**Flush plate touchless  
Visign for More 105**

- Glass
- Touchless flush actuation from front or top, dual flush technology, with Viega Hygiene+ function

Components

Bowden cable unit, power pack (cable length 41"), mounting frame, mounting hardware

Technical Data

sm. flush vol. factory setting approx. 0.8 gallon  
full flush vol. factory setting approx. 1.6 gallon  
V 100–240 V AC/50–60 Hz

Note

Shown in white glass

**Model 8357.2US**

	cover plate	Wt [lb]	Quantity	Part No	DG
	white glass	3.130	1	<b>54895</b>	13



**Flush plate  
Visign for Style 10**

- Use with Viega Eco Plus urinal carrier Model 8164.5US
- Plastic
- Manual flush actuation from front

Components

Flush plate, cartridge valve, mounting frame, mounting hardware

Note

Shown in Chrome

**Model 8315.2US**

	cover plate	actuator	Wt [lb]	Quantity	Part No	DG
	alpine white plastic	alpine white plastic	0.844	1	<b>54845</b>	13
	chrome-plated plastic	chrome-plated plastic	0.864	1	<b>54850</b>	13



**Flush plate  
Visign for Style 12**

- Use with Viega Eco Plus urinal carrier Model 8164.5US
- Plastic
- Manual flush actuation from front

Components

Flush plate, cartridge valve, mounting frame, mounting hardware

Note

Shown in Matte Chrome

**Model 8332.2US**



	cover plate	actuator	Wt [lb]	Quantity	Part No	DG
	alpine white plastic	alpine white plastic	0.948	1	<b>54785</b>	13
	chrome-plated plastic	chrome-plated plastic	0.957	1	<b>54790</b>	13
	matte chrome plastic	matte chrome plastic	0.934	1	<b>54795</b>	13



**Flush plate**  
**Visign for More 100**

- Use with Viëga Eco Plus urinal carrier Model 8164.5US
- Metal, glass
- Manual flush actuation from front

Components

Flush plate, cartridge valve, mounting frame, mounting hardware

Note

Shown in Black Glass

**Model 8351.2US**

cover plate	actuator	Wt [lb]	Quantity	Part No	DG
chrome colored aluminum	chrome colored aluminum	2.034	1	<b>54800</b>	13
aluminum matte chrome	aluminum matte chrome	1.990	1	<b>54805</b>	13
chrome colored aluminum	light gray glass	1.929	1	<b>54810</b>	13
chrome colored aluminum	black glass	1.975	1	<b>54815</b>	13



**Flush plate**  
**Visign for More 100**

- Use with Viëga Eco Plus urinal carrier Model 8164.5US
- Metal, glass
- Touchless infrared front flush actuation

Components

Cover panel, control electronics, electronic cartridge valve, power pack, mounting frame, mounting hardware

Note

With hygiene flush after 24 hours without use shown in Black Glass

**Model 8351.6US**

cover plate	Wt [lb]	Quantity	Part No	DG
alpine white colored aluminum	1.807	1	<b>54915</b>	13
chrome colored aluminum	1.818	1	<b>54920</b>	13
light gray glass	2.006	1	<b>54925</b>	13
black glass	2.006	1	<b>54930</b>	13



**Flush plate**  
**Visign for Public 5**

- Metal
- With Viëga Hygiene+ function, manual flush actuation from front, touchless front infrared flush actuation, single flush technology, can be screwed at 2 sides, vandalism proof

Components

Bowden cable unit, control, power pack (cable length 41"), mounting frame, mounting hardware

Technical Data

full flush vol. factory setting approx. 1.6 gallon  
V 100–240 V AC/50–60 Hz

Note

Shown in Stainless Steel

**Model 8326.1US**

cover plate	actuator	Wt [lb]	Quantity	Part No	DG
brushed stainless steel	brushed stainless steel	3.361	1	<b>54580</b>	13



**Remote flush actuation**  
**Visign for Public 1**

- Metal
- Single flush technology, can be screwed at 2 sides

Components

Concealed socket, Bowden cable unit 78" (2m) with 68" (1.7m) empty conduit, mounting frame, mounting hardware

**Model 8326.2US**

cover plate	actuator	Wt [lb]	Quantity	Part No	DG
brushed stainless steel	brushed stainless steel	1.757	1	<b>54590</b>	13



**Cover panel**

**Visign for Public**

- Metal
- Can be screwed at 2 sides, vandalism proof, without function

Components

Mounting frame, mounting hardware

**Model 8326.9US**

	Wt [lb]	Quantity	Part No	DG
cover plate	1.444	1	<b>54585</b>	13
brushed stainless steel				



**Installation frame**

**Visign for More**

- For tile-level installation of the urinal flush plate
- Suitable for flush plate Visign for More 100 Model 8352.1US, flush plate Visign for More 104 Model 8354.1US
- Plastic

Note

Tile-level installation frame can only be used in the Viega pre-wall systems for dry construction (Viega Eco Plus)

**Model 8350.3US**

Version	Wt [lb]	Quantity	Part No	DG
chrome-plated	0.624	1	<b>54945</b>	13



**Installation frame**

**Visign for Style**

- Suitable for flush plate Visign for Style 12 Model 8332.2US, flush plate Visign for More 100 Model 8351.6US
- Plastic

Note

Tile-level installation frame can only be used in the Viega pre-wall systems for dry construction (Viega Eco Plus)

**Model 8330.3US**

Version	Wt [lb]	Quantity	Part No	DG
chrome-plated	0.324	1	<b>54940</b>	13



**Installation frame**

**Visign for Style**

- For tile-level installation of the urinal flush plate
- Suitable for flush plate Visign for Style 10 Model 8315.1US, flush plate Visign for Style 12 Model 8332.1US, flush plate Visign for Style 14 Model 8334.1US, flush plate touchless Visign for More 100 Model 8352.2US, 8352.3US
- Plastic
- Tile level installation frame

Note

Tile-level installation frame can only be used in the Viega pre-wall systems for dry construction (Viega Eco Plus)

**Model 8330.2US**

Version	Wt [lb]	Quantity	Part No	DG
chrome-plated	0.617	1	<b>54935</b>	13



**Functional unit**

- For tile-level installation of the toilet installation panel, natural stone panel (supplied by others)
- Plastic
- Manual flush actuation from front or top, dual flush technology

Components

Bowden cable unit, tile level installation frame, mounting frame, mounting hardware

Note

Tile-level installation frame can only be used in the Viega pre-wall systems for dry construction (Viega Eco Plus)

**Model 8332.3US**

	Wt [lb]	Quantity	Part No	DG
	1.955	1	<b>54655</b>	13

**Spare parts**



**Protective plug**  
 - For drain elbow  
 - Plastic  
**Model 8010.2US**

DN	d	Wt [lb]	Quantity	Part No	DG
90	4	0.143	1	<b>54690</b>	13



**Protective plug**  
 - For flushing pipe elbow  
 - Plastic  
**Model 8310.5US**

d	Wt [lb]	Quantity	Part No	DG
2	0.073	1	<b>54840</b>	13



**Trim guard**  
 - Plastic  
Components  
 Protective cover  
**Model 8310.6US**

W [in]	H [in]	Version	Wt [lb]	Quantity	Part No	DG
9½	4½	yellow	0.326	1	<b>54835</b>	13



**Fastening set**  
 - For toilet  
Components  
 Threaded rods M12x6, threaded nuts M12,  
 collar screws with anchors, floor screws  
**Model 8310.1US**

Wt [lb]	Quantity	Part No	DG
0.813	1	<b>54855</b>	13



**Connection set**  
 - For bowl connection  
Components  
 Bowl supply and drain connection extenders with integrated seals, mounting set (cover accessories white)  
**Model 8010.3US**

DN	d1	d2	Wt [lb]	Quantity	Part No	DG
90	2	4	0.827	1	<b>54695</b>	13



**Corner valve**  
 - Suitable for Viega Eco Plus WC carrier 2 x 4 Model 8108.1US, Viega Eco Plus WC carrier 2 x 6 Model 8180US  
 - Brass  
 - BSP thread  
Components  
 Easy mountable plug-in screw fitting with union nut G½, G¾ outlet  
**Model 8310.4US**

Wt [lb]	Quantity	Part No	DG
0.258	1	<b>54825</b>	13



**Seal set**  
 - For Viega flush valves  
 - Rubber  
Components  
 Flush valve seal, valve seat seal  
**Model 8308.2US**

Wt [lb]	Quantity	Part No	DG
0.031	1	<b>54625</b>	13



**Seal set**

- For Viega concealed cisterns

Components

O-ring set for drain socket of concealed cistern, o-ring for corner valve, seals for flush valve, seals for flush valve seat, filling valve and flushing pipe elbow

**Model 8310.2US**

Wt [lb]	Quantity	Part No	DG
0.095	1	<b>54820</b>	13



**Fill valve set**

- Suitable for Viega Eco Plus WC carrier 2 x 6 reduced flush Model 8108.4US, Viega Eco Plus WC carrier 2 x 6 Model 8180US

- Plastic

Components

Fill valve, flexible hose, fill valve bracket

**Model 8310.7US**

Wt [lb]	Quantity	Part No	DG
0.635	1	<b>54555</b>	13



**Flush valve kit**

- Suitable for Viega Eco Plus WC carrier 2 x 6 reduced flush Model 8108.4US, Viega Eco Plus WC carrier 2 x 6 Model 8180US

- Plastic

- Flush actuation from the front, dual flush technology

Components

Flush valve kit, flush valve seat, actuating mechanism, actuating pin set, mounting set

**Model 8310.0US**

Wt [lb]	Quantity	Part No	DG
1.162	1	<b>54890</b>	13



**Fill valve set**

- Suitable for Viega Eco Plus WC carrier 2 x 4 Model 8108.1US, Viega Eco Plus WC carrier 2 x 4 reduced flush Model 8108.5US

- Plastic

Components

Fill valve, flexible hose, fill valve bracket

**Model 8310.8US**

Wt [lb]	Quantity	Part No	DG
0.560	1	<b>54560</b>	13



**Flush valve kit**

- Suitable for Viega Eco Plus WC carrier 2 x 4 Model 8108.1US, Viega Eco Plus WC carrier 2 x 4 reduced flush Model 8108.5US

- Plastic

- Flush actuation from the front, dual flush technology

Components

Flush valve, flush valve seat

**Model 8308.8US**

Wt [lb]	Quantity	Part No	DG
0.696	1	<b>54630</b>	13



**Mounting set**

- Plastic

**Model 8250.1US**

QS	L [in]	M	Wt [lb]	Quantity	Part No	DG
2	4¼	6	0.042	1	<b>54650</b>	13




**Actuating pin set**

- For manual flush plates
- Spare part for flush plate Standard 1 Model 8180.1US, flush plate Visign for Style 10 Model 8315.1US, flush plate Visign for Style 13 Model 8333.1US, flush plate Visign for Style 14 Model 8334.1US

**Model 8310.3US**

M	L [in]	QS	Wt [lb]	Quantity	Part No	DG
8	5	2	0.026	1	<b>54830</b>	13



**Power pack**

- Spare part for flush plate Visign for Public 5 Model 8326.1US, flush plate touchless Visign for More 100 Model 8352.2US

Technical Data

V 100–240 V AC/50–60 Hz

**Model 8350.2US**

L [in]	Wt [lb]	Quantity	Part No	DG
43	0.264	1	<b>54885</b>	13



**Battery compartment**

- Spare part for flush plate Visign for Public 5 Model 8326.1US, flush plate Visign for More 100 Model 8351.6US, flush plate touchless Visign for More 100 Model 8352.2US, 8352.3US
- Plastic

Components

4 AA batteries

**Model 8350.1US**

Wt [lb]	Quantity	Part No	DG
0.260	1	<b>54880</b>	13



**Seal**

- For urinal connection from supply side
- Rubber

**Model 8019.2US**

Wt [lb]	Quantity	Part No	DG
0.042	1	<b>54680</b>	13



**Viega Eco Plus fastening set**

- For fastening of the Viega Eco Plus carriers in single/line mounting, single mounting direct on the installation body, corner mounting on solid or metal support profiles
- Depth-adjustable 3.0-11.75" (75–200), fastening possibilities for cladding, long holes

**Model 8173US**

QS	Wt [lb]	Quantity	Part No	DG
2	1.307	1	<b>54685</b>	13



**Connection set**

- Plastic

Components

Flush pipe with flush pipe connector 1.75" x 15.75", toilet connection pipe with lip seal, mounting set (cover accessories white)

Note

Flush pipe without flush pipe connector: product group spare parts and inlet accessories (model 3817.5)

**Model 3817.8US**

DN	L	Wt [lb]	Quantity	Part No	DG
90	400	1.234	1	<b>54530</b>	13



**Connection set**

- For height adjustment up to 25 mm
- Plastic

Components

Flushing pipe with flush pipe connector, toilet connection supports with lip seal, threaded bolts

Note

Without warranty, can lead to reduced, non-standard flush and drainage performance!

**Model 8094US**

DN	Wt [lb]	Quantity	Part No	DG
90	1.591	1	<b>54675</b>	13



**Connection pipe**

- For tolerance adjustment at the toilet drain connection
- Plastic

Components

Eccentric coupling, lip seal

**Model 3815.1US**

DN	L	Version	Wt [lb]	Quantity	Part No	DG
100	155	alpine white	0.488	1	<b>54545</b>	13



**90° connection elbow**

- For toilet
- Plastic

Components

Lip seal

**Model 3811US**

DN	Version	Wt [lb]	Quantity	Part No	DG
100	alpine white	0.668	1	<b>54535</b>	13



**Connection pipe**

- For toilet
- Plastic

Components

Lip seal

**Model 3815US**

DN	L	Version	Wt [lb]	Quantity	Part No	DG
100	150	alpine white	0.527	1	<b>54550</b>	13



**45° connection elbow**

- For toilet
- Plastic

Components

Lip seal

**Model 3812US**

DN	Version	Wt [lb]	Quantity	Part No	DG
100	alpine white	0.540	1	<b>54540</b>	13

