

NEW



M12 M18

PRESS SOLUTIONS GUIDE




REDLITHIUM™

CTS



IPS



PEX




REQUIRES RING JAWS

* r1 Ring Jaw
49-16-2659

† r2 Ring Jaw
49-16-2659S

ACR



COMPATIBILITY

FITTING MFR	Viega®					Apollo Valves / Elkhart				
FITTING SYSTEM	ProPress® up to 4"	ProPress® G up to 2"	MegaPress® up to 4"	MegaPress® G up to 4"	PureFlow® PEX Press up to 2"	ApolloPress® up to 4"	PowerPress up to 2"			
FITTING MFR	Mueller Industries			NIBCO®	Anvil®	Isotubi USA	Wolverine Brass®	Standard PEX Fittings	RLS®	
FITTING SYSTEM	Streamline PRS™ up to 4"	Streamline® STL & STL-G up to 2"	Streamline® ACR up to 1-1/8"	Copper Fittings up to 2"	BenchPress™ up to 2"	AnvilPress™ up to 2"	Isotubi Stainless Steel up to 1-1/4"	Up to 2"	ASTM F1807 & F2159 PEX Crimp up to 2"	Up to 1-1/8"

MATERIAL ICON KEY



For most up to date fitting compatibility information, visit milwaukeeetool.com

CTS



1/2" CTS-V
49-16-2650

3/4" CTS-V
49-16-2651

1" CTS-V
49-16-2652

1-1/4" CTS-V
49-16-2653

1-1/2" CTS-V
49-16-2654

2" CTS-V
49-16-2655

2-1/2" CTS-Vr1
49-16-2656

3" CTS-Vr1
49-16-2657

4" CTS-Vr1
49-16-2658

2-1/2" - 4" CTS-Vr1
49-16-2690

IPS



1/2" IPS-P
49-16-2650B

3/4" IPS-P
49-16-2651B

1" IPS-P
49-16-2652B

1-1/4" IPS-Pr1
49-16-2653B

1-1/2" IPS-Pr1
49-16-2654B

2" IPS-Pr1
49-16-2655B

1/2" - 1" IPS-P
49-16-2696

1/2" - 2" IPS-Pr1
49-16-2697

1/2" IPS-IA
49-16-2650S

3/4" IPS-IA
49-16-2651S

1" IPS-IA
49-16-2652S

1-1/4" IPS-IAr1
49-16-2653S

REQUIRES RING JAWS



* r1 Ring Jaw
49-16-2659

PEX



1/2" PEX
49-16-2651C

3/4" PEX
49-16-2653C


1" PEX
49-16-2654C

1-1/4" PEX
49-16-2655C

1-1/2" PEX
49-16-2656C

2" PEX
49-16-2657C

ACR



1/4" Streamline® ACR
49-16-2650M

3/8" Streamline® ACR
49-16-2652M

1/2" Streamline® ACR
49-16-2653M

5/8" Streamline® ACR
49-16-2654M

3/4" Streamline® ACR
49-16-2655M

7/8" Streamline® ACR
49-16-2656M

1-1/8" Streamline® ACR
49-16-2657M

1/4" - 7/8" Streamline® ACR
49-16-2661M

1/4" RLS® ACR
49-16-2650R

3/8" RLS® ACR
49-16-2652R

1/2" RLS® ACR
49-16-2653R

5/8" RLS® ACR
49-16-2654R

3/4" RLS® ACR
49-16-2655R

7/8" RLS® ACR
49-16-2656R

1-1/8" RLS® ACR
49-16-2657R

1/4" - 1-1/8" RLS® ACR
49-16-2662R

COMPATIBILITY

FITTING MFR	Viega®					Apollo Valves / Elkhart				
FITTING SYSTEM	ProPress® up to 4"	ProPress® G up to 2"	MegaPress® up to 2"	MegaPress® G up to 2"	PureFlow® PEX Press up to 2"	ApolloPress® up to 4"	PowerPress up to 2"			
FITTING MFR	Mueller Industries			NIBCO®		Anvil®	Isotubi USA	Wolverine Brass®	Standard PEX Fittings	RLS®
FITTING SYSTEM	Streamline PRS™ up to 4"	Streamline® STL & STL-G up to 2"	Streamline® ACR up to 1-1/8"	Copper Fittings up to 2"	BenchPress™ up to 2"	AnvilPress™ up to 2"	Isotubi Stainless Steel up to 1-1/4"	Up to 2"	ASTM F1807 & F2159 PEX Crimp up to 2"	Up to 1-1/8"

MATERIAL ICON KEY



For most up to date fitting compatibility information, visit milwaukeetool.com