

PRODUCT SPECIFICATIONS

Wall Mount Fully Recessed Fountain Non-Filtered Non-Refrigerated Stainless Steel. Furnished with Flexi-Guard® Safety Bubbler. Mechanical Bubbler Pushbar activation. Product shall be Recessed Mount, for Indoor + Outdoor applications, serving 1 station(s).

| | |
|---------------------------------|-----------------------------|
| Finish: | Stainless Steel |
| Power: | No Electrical Required |
| Bubbler Style: | Flexi-Guard® Safety Bubbler |
| Activation by: | Mechanical Bubbler Pushbar |
| Mounting Type: | Recessed Mount |
| Chilling Capacity: | Non-refrigerated |
| Dimensions (L x W x H): | 19" x 11-3/16" x 32-1/2" |
| Approx. Shipping Weight: | 27 lbs. |
| Installation Location: | Indoor + Outdoor |
| No. of Stations Served: | 1 |

**When used in non-temperature controlled environments, unit(s) must be adequately winterized and/or protected from extreme heat to prevent damage where climates dictate.

- Mechanically-Activated unit continues to supply water in event of service disruptions.



Included with Product: Fountain Ships in one box.

A Century of Tradition and Quality.
For more than 100 years, Elkay has been making innovative products and providing exceptional customer care. We take pride in offering plumbing products that make life easier, inspire change and leave the world a better place.



PRODUCT COMPLIANCE

ASME A112.19.3/CSA B45.4

NSF/ANSI 61 (Q≤1) & 372 (lead free)






[Installation Instructions \(PDF\) - 97165C](#)

Water Systems are warranted for 12 months from date of installation.
Warranty pertains to drinking water applications only. Non-drinking water applications are not covered under warranty.

[Warranty \(PDF\)](#)

PART: _____ QTY: _____
PROJECT: _____
CONTACT: _____
DATE: _____
NOTES: _____
APPROVAL: _____

In keeping with our policy of continuing product improvement, reserves the right to change product specifications without notice. Please visit [www.elkay.com](#) for the most current version of product specification sheets. This specification describes product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.




| Optional Accessories | | |
|------------------------|--|---|
| 97446C | Bubbler Kit Vandal-Resistant Spec Sheet (PDF) |  |
| 98501C | Bubbler - StreamSaver™ Flexi-Guard® Safety Bubbler Spec Sheet (PDF) |  |
| 98481C | Bubbler Kit Water-Efficient Vandal-Resistant Spec Sheet (PDF) |  |

In keeping with our policy of continuing product improvement, reserves the right to change product specifications without notice. Please visit [Elkay.com](#) for the most current version of product specification sheets. This specification describes product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.

INSTALLER NOTE

This drinking fountain is furnished with a bubbler and valve including all connecting fittings which are manufactured of completely lead free material. Shut off valve (not furnished) to accept 3/8" O.D. unplated copper tube.

OPERATION OF QUICK CONNECT FITTINGS



In keeping with our policy of continuing product improvement, reserves the right to change product specifications without notice. Please visit [www.elkay.com](#) for the most current version of product specification sheets. This specification describes product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.