




Tub Spout
Caño de Bañera
Bec Mural
Torneira para Banheira




GE
TBG07001U




GC
TBG08001U



GM
TBG09001U



GB
TBG10001U



GF
TBG11001U

Warranty Registration and Inquiry

For product warranty registration, TOTO U.S.A. Inc. recommends online warranty registration. Please visit our web site <http://www.totousa.com>.

If you have questions regarding warranty policy or coverage, please contact TOTO U.S.A. Inc., Customer Service Department, 1155 Southern Road, Morrow, GA 30260 (888) 295-8134 or (678) 466-1300 when calling from outside of U.S.A.

TABLE OF CONTENTS

Thanks for Choosing TOTO!2

Care And Cleaning2

Warnings2

Common Tools Needed3

Before Installation3

Included Parts3

Installation Procedure4

Warranty.....5

Rough-In Dimensions18

THANKS FOR CHOOSING TOTO!

The mission of TOTO is to provide the world with healthy, hygienic and more comfortable lifestyles. We design every product with the balance of form and function as a guiding principle. Congratulations on your choice.

CARE & CLEANING


Your new tub spout is designed for years of trouble-free performance. Keep it looking new by cleaning it periodically with mild soap, rinsing thoroughly with warm water and drying with a clean, soft cloth. Do not use abrasive cleaners, steel wool or harsh chemicals, as these will dull the finish. Failure to follow these instructions may void your warranty.

WARNINGS


For safe operation of the handshower, please observe the following:

- Recommended operating pressure:
 - Minimumu pressure.....20 psi (138 kPa), dynamic
 - Maxmumu pressure.....80 psi (551kPa), static
- It is suggested to use the temperature below 140°F(60°C)
- Do not use steam for hot water supply.
- Do not use the product at an ambient temperature below 32 °F (0 °C) .

COMMON TOOLS NEEDED



Adjustable Wrench




Sealing Tape

ENGLISH

BEFORE INSTALLATION

- Observe all local plumbing codes.
- Make sure the water supply is shut off.
- Read these instructions carefully to ensure proper installation.
- TOTO reserves the right to update product design without notice.


INCLUDED PARTS




* Actual product may vary in appearance depending on the model.

ROUGH-IN DIMENSIONS / DIMENSIONES PRELIMINARES ROBINETTERIE BRUTE / DIMENSÕES APROXIMADAS


GE TBG07001U



GC TBG08001U




GM TBG09001U




ROUGH-IN DIMENSIONS / DIMENSIONES PRELIMINARES
ROBINETTERIE BRUTE / DIMENSÕES APROXIMADAS

GB TBG10001U



GF TBG11001U



TOTO

TOTO U.S.A., Inc. 1155 Southern Road,
Morrow, Georgia 30260
Tel: 888-295-8134 Fax: 800-699-4889
www.totousa.com

0GU4314

Rev B



Warranty Registration and Inquiry

For product warranty registration, TOTO U.S.A. Inc. recommends online warranty registration. Please visit our web site <http://www.totousa.com>. If you have questions regarding warranty policy or coverage, please contact TOTO U.S.A. Inc., Customer Service Department, 1155 Southern Road, Morrow, GA 30260 (888) 295-8134 or (678) 466-1300 when calling from outside of U.S.A.